



Wet Season Requirements

If starting construction during the “wet season” a pre –land disturbance inspection is required.
Please schedule a 100 BMP/Erosion Protection inspection prior to any land disturbance.

All Sites must be winterized during the Wet Season (Oct 15—May 1).

Winterized means implementing erosion and/or sediment controls that will prevent the discharge of earthen materials from the site.

This requires:

- Stabilizing bare disturbed soils with mulch, erosion protection blankets, or other suitable materials;
- Installing perimeter sediment controls such as wire-backed silt fence or other similar materials that will remain effective during significant rain and snow events;
- Cleaning up and removing construction debris and spoil piles;
- Removing or covering dirt stockpiles with tackifier;
- Installing permanent mechanical stabilization and drainage improvements where feasible;
- Restricting parking and storage to paved areas and/or driveways that have track off control
- For sites that will be active during the wet season where the driveway will be used for material storage and/or vehicular access, DRIVEWAYS WITH SLOPES IN EXCESS OF 10% SHALL BE PAVED.

Blake Kloczl - bkloczl@townoftruckee.gov
530-582-7891

Chloe Myers- cmyers@townoftruckee.gov
530-582-7704

“Ground Disturbance including vegetation removal that disturbs the soil shall be prohibited between October 15 of any year and May 1 of the following year.

Exceptions may be granted by the Director “

- Development Code Section 18.30.050 (C)(4)

